
Simulink Report: HR_Conv_

Christian Müller

2008-03-06

Model - HR_Conv_




Tabelle 1.1. HR_Conv_ Simulation Parameters

Solver ode14x	ZeroCross on	StartTime 0.0 StopTime 10.0
RelTol 1e-3	AbsTol auto	Refine 1
InitialStep auto	FixedStep auto	MaxStep auto

Tabelle 1.2. HR_Conv_ Summary Information

NumModelInputs	N/A	NumModelOutputs	N/A
NumVirtualSubsystems	N/A	NumNonvirtSubsystems	N/A
NumNonVirtBlocksInModel	N/A	NumBlockTypeCounts	N/A
NumBlockSignals	N/A	NumBlockParams	N/A
NumZCEvents	N/A	NumNonsampledZCs	N/A

Systems

Name	Parent	Snapshot	Blocks	Signals
HR_Conv_	<root>		HR_Conv_	HR_Conv_<1> HR_Conv_<2>

Blocks

Tabelle 1.3. Block Type Count


BlockType	Count	Block Names
Import	6	T_1, T_2, A, alpha, T_1, T_2
Outport	4	Q_dot_1, Q_dot_2, Q_dot_1, Q_dot_2
Constant	2	A, alpha
Terminator	1	Terminator
SubSystem	1	HR_Conv_
Stateflow (m)	1	Embedded MATLAB Function
S-Function	1	SFunction


BlockType	Count	Block Names
Demux	1	Demux

Data and Functions

Tabelle 1.4. Model Functions

Function Name	Parent Blocks	Calling string
NaN	HR_Conv_ HR_Conv_	NaN NaN





```
function [Q_dot_1,Q_dot_2] = Cal(A,alpha,T_1,T_2)

% ****
% * Definition of a Heat Resistance
% *
% * Number of inputs: 2
% *
% * Parameter: Surface: A
% * Convection heat transfer coefficient via surface: alpha
% *
% *
% * Relevant input variables of HR
% *
% * Temperature: T_in
% *
% *
% * Relevant output variables of HR
% *
% * Heat flow: Q_dot
% *
% ****
% * Embedded Matlab Function Cal:
% *
% * Calculations:
% * 1. Calculation heat flow.
% *
% *
% * Assumptions:
% * 1. Heat Transfer process = convection
% *
% *
% * Last modification : 15.03.2008
% * Author : Christian Müller(HAW)
% *
% ****

% * 1. Calculation heat flow
Q_dot_1 = -alpha*A*(T_1-T_2);
Q_dot_2 = -alpha*A*(T_2-T_1);
% ****
```